

Notice of Allowability

Application No.

09/815,362

Applicant(s)

CHOW ET AL.

Examiner

Rebecca L. Anderson

Art Unit

1626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

☒ This communication is responsive to RCE and amendment filed 13 August 2004.

☒ The allowed claim(s) is/are 109-126, now renumbered as claims 1-18.

☐ The drawings filed on _____ are accepted by the Examiner.

☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) ☐ All b) ☐ Some* c) ☐ None of the:

1. ☐ Certified copies of the priority documents have been received.

2. ☐ Certified copies of the priority documents have been received in Application No. _____.

3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.

(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

☐ Notice of References Cited (PTO-892)

☐ Notice of Draftperson's Patent Drawing Review (PTO-948)

☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____

☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)

6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.

7. ☐ Examiner's Amendment/Comment

8. ☒ Examiner's Statement of Reasons for Allowance

9. ☐ Other _____.

DETAILED ACTION

Claims 109-126 are currently pending in the instant application, are allowable over the prior art of record and have been renumbered as claims 1-18.

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114 was filed in this application after appeal to the Board of Patent Appeals and Interferences, but prior to a decision on the appeal. Since this application is eligible for continued examination under 37 CFR 1.114 and the fee set forth in 37 CFR 1.17(e) has been timely paid, the appeal has been withdrawn pursuant to 37 CFR 1.114 and prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 13 August 2004 has been entered.

Response to Amendment

Applicants amendment filed 13 August 2004 cancelled claims 1-108 and added new claims 1-9-126 which are drawn solely to the elected invention, therefore the amendment to the claims overcomes the objection of the claims as containing non-elected subject matter.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance. This invention relates to the imidiazole compounds as found in claim 109 substituted by a bicyclic carbocyclic ring system. The novel and nonobvious aspect of this invention involves the

Art Unit: 1626

substituent on the imidiazole. The closest prior art of record fails to teach or suggest the imidiazole compounds as instantly claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Rebecca L. Anderson whose telephone number is (571) 272-0696. Mrs. Anderson can normally be reached Monday through Friday 5:30AM to 2:00PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Mr. Joseph McKane, can be reached at (571) 272-0699.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1626



Rebecca Anderson
Patent Examiner
Art Unit 1626, Group 1620
Technology Center 1600

9/10/04



Joseph K. McKane
Supervisory Patent Examiner
Art Unit 1626, Group 1620
Technology Center 1600